











SET-UP EXAMPLE FOR PRESSURE TANK FS-MO-3B-ZKG

	Item	Order No.
	<p>Pressure tank FS-MO-160-3B-5500 litres</p> <ul style="list-style-type: none"> › h1 = 4,172 mm, $H_{ges} = 4,172 \text{ mm (h1)} + 150 \text{ mm (cleaning pipe)} + \text{approx. } 100 \text{ mm (height compensation)}$ = 4,422 mm › Standard equipment as on page 103 	FS-MO-160-5500-3B-ZKG
	<p>Cleaning pipe (page 167)</p> <ul style="list-style-type: none"> › With disc valve NW 40 	61375
	<p>Sampling (page 171)</p> <ul style="list-style-type: none"> › With sampling tap NW 10 DIN 11851 › With spiral 	83922 83866
	<p>Racking outlet (page 167)</p> <ul style="list-style-type: none"> › Racking outlet and bottom outlet armature 100 / 40 › With disc valve NW 40 DIN 11851 	91999 61375
	<p>Bottom outlet (page 167)</p> <ul style="list-style-type: none"> › With disc valve NW 40 DIN 11851 	61375
	<p>Bunging apparatus (page 181)</p> <ul style="list-style-type: none"> › Bung pressure regulation ("Kellerfee") › Up to 3 bar for junction NW 25 DIN 11851 on cleaning pipe 	81457
	<p>Heating and cooling jacket (page 128)</p> <ul style="list-style-type: none"> › Double jacket A 2,9 m² with welded gland thread G 1" for connection to available warm water / cold water source › Version 1, connection position A1 › With cone double jacket 3.0 m² 	1A1 1A1
	<p>Temperature measurement (page 174)</p> <ul style="list-style-type: none"> › Bi-metal dial thermometer ø 100 mm, measuring range - 20 °C to + 60 °C › Length = 125 mm › Including welded-on sleeve for thermometer › Including adapter 	TM-140F 84379
	<p>Fill level (page 172)</p> <ul style="list-style-type: none"> › Fill level indicator NW 10 DIN 11851 with litre scale › Closed version › Connection between level indicator and cleaning pipe 	FS-130I VL50A
	<p>Adjustable feet (page 177)</p> <ul style="list-style-type: none"> › With adjustable feet for tank legs (H= + approx. 100 mm) 	46126
	<p>TÜV-fees (fees for German Technical Control Board) including technical approval and documentation</p>	TÜV-001